



LINESOON INDUSTRIAL CO., LTD.

No. 466, Jhongshan Rd., Sigang Dist, Tainan City 72341, Taiwan(R.O.C.)
E-mail: sales@linesoon.com.tw <http://www.linesoon.com.tw>
TEL:886-6-7961929 (10 lines) FAX:886-6-7961932



AUTOMATIC TRANSMISSION

CLUTCH PLATE

2023

STEEL PLATE	PAGE
AMERICAN CAR	1-1 ~ 1-7
JAPANESE CAR	2-1 ~ 2-8
EUROPEAN CAR	3-1 ~ 3-5
OTHERS	4-1 ~ 4-1
FRICTION PLATE	PAGE
AMERICAN CAR	5-1 ~ 5-6
JAPANESE CAR	6-1 ~ 6-8
EUROPEAN CAR	7-1 ~ 7-4



LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
GM									
33101	33101	4T40-E, 4T45-E FORWARD	8684445	0.069	30	Ø103.10	Ø132.65	100	
33105	33105	4T40-E, 4T45-E DIRECT	8685879	0.074	16	Ø94.00	Ø127.30	100	
33107	33107	4T40E ST 2ND CLUTCH	24200790	0.089	8	Ø121.90	Ø176.50	100	
33111	33111	4T40E ST REVERSE INPUT	24200757	0.088	30	Ø101.55	Ø140.13	100	
33111F		4T40E ST REVERSE INPUT			30	Ø101.5	Ø140.00	100	
33115	33115	4T40-E, 4T45-E COAST	8685874	0.069	12	Ø62.15	Ø88.90	100	
34101	34101	4L80-E, 4L80-EHD OVERRUN (OVERDRIVE)	8661569	0.099	14	Ø115.20	Ø142.30	100	
34101A		4L80-E, 4L80-EHD OVERRUN (OVERDRIVE) WITH 7 TURBULATOR HOLES	24204287	0.099	14	Ø114.80	Ø142.00	100	
34104	34104	4L80-E, 4L80-EHD FOURTH	8661579	0.099	8	Ø160.10	Ø195.80	100	
34104A	34104A	4L80-E, 4L80-EHD FOURTH WITH 4 TURBULATOR	24204283	0.099	8	Ø160.00	Ø196.30	100	
34305A	34305A	4L80-E, 4L80-EHD FORWARD TH400 (3L80), 375, 3L80- HD (475) -RWD; 425-FWD FORWARD	8623849	0.077	12	Ø116.00	Ø159.30	100	
34305C	34305C	TH400 (3L80), 375, 3L80- HD (475) -RWD; 425-FWD, DIRECT (3RD, HIGH), FORWARD	8625197	0.090	12	Ø116.00	Ø159.30	100	
34305D	34305D	4L80-E, 4L80-EHD FORWARD AND DIRECT CUSHION SPACERS TH400 (3L80), 375, 3L80- HD (475) -RWD; 425- FWD (DISHED)	8680816 8625196	0.054	2	Ø121.90	Ø159.80	100	
34405E	34405E	4L80-E, 4L80-EHD INTERMEDIATE	8675522	0.076	21	Ø127.05	Ø175.30	100	
35100	35100	TH350, TH350C, TH250, TH25 0C DIRECT; FORWARD	6261071	0.068	12	Ø123.65	Ø156.10	100	
35101	35101	TH350, TH350C, TH250, TH25 0C LOW & REVERSE	6261120	0.069	17	Ø145.40	Ø175.00	100	
54107	54107	4L30E 4TH CLUTCH, 89-UP	8-96014-187-0	0.083	7	Ø171.10	Ø202.75	100	
54109	54109	TH180 (3L30) (4L30E) ST OVERRUN 4L30E	8-94479-875-0 96014194	0.083	36	Ø100.60	Ø138.90	100	
54205	54205	TH180/TH180C/4L30E 2ND CLUTCH, 69-UP	5258057	0.070	36	Ø109.30	Ø137.85	100	
54205A	54205A	TH180 (3L30) (4L30E) ST 2ND SPEED 3L30, ST 2ND SPEED 4L30E	96040118 711423	0.080	36	Ø109.30	Ø137.85	100	
54221	54221	TH180/TH180C/4L30E 3RD CLUTCH, 69-UP	5258086	0.070	30	Ø72.20	Ø104.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
54221A	54221A	TH180 REVERSE CLUTCH, 69-UP	5258019	0.070	7	Ø144.25	Ø172.85	100	
54221B	54221B	TH180 (3L30) (4L30E) ST REVERSE	96040135 5258957	0.083	7	Ø144.25	Ø172.85	100	
54221C	54221C	TH180 (3L30) (4L30E) ST 3RD SPEED	5258955 711422	0.060	30	Ø72.20	Ø104.00	100	
75100	75100	TH125, TH125C (3T40) ST DIRECT	8631026	0.090	24	Ø89.15	Ø126.60	100	
75100-0.7		TH125, TH125C (3T40) ST 24T WAVE		0.028	24	Ø89.15	Ø126.60	100	
75101	75101	3T40 (TH125/TH125C)	8631079	0.080	11	Ø111.00	Ø149.80	100	
75101A	75101A	TH125, TH125C (3T40) ST LOW/REVERSE	8664141	0.078	11	Ø111.00	Ø149.50	100	
75101X	75101X	TH125, TH125C (3T40)		0.086	11	Ø111.00	Ø149.80	100	
75104	75104	TH125, TH125C (3T40) ST FORWARD 4T60 (TH440- T4), 4T60-E	8631379	0.076	26	Ø89.10	Ø126.60	100	
75105	75105	TH125, TH125C (3T40) ST FORWARD	8665319 8664155	0.050	28	Ø89.10	Ø126.60	100	
77111	77111	4L60, 4L60E (TH700-R4) ST REVERSE INPUT	8673601 8642061	0.078	36	Ø129.23	Ø161.95	100	
77111A	77111A	TH700-R4 (4L60), 4L60-E REVERSE INPUT-FLAT	24205267	0.078	14	Ø122.06	Ø151.80	100	
77111X	77111X	4L60, 4L60E (TH700-R4) ST REVERSE INPUT		0.090	36	Ø129.23	Ø161.95	100	
77112	77112	4L60, 4L60E (TH700-R4) ST OVERRUN	8642154	0.092	10	Ø108.20	Ø151.40	100	
77113	77113	4L60, 4L60E (TH700-R4) ST FORWARD	8642167	0.078	20	Ø108.23	Ø154.10	100	
77113A	77113A	4L60, 4L60E (TH700-R4) ST FORWARD	8654325	0.090	20	Ø108.23	Ø154.10	100	
77114	77114	4L60, 4L60E (TH700-R4) ST 3/4 (FIT ALTO#057705)	8678054	0.077	20	Ø127.00	Ø155.45	100	
77114A	77114A	4L60, 4L60E (TH700-R4) ST 3/4 W/NOTCH (RETRO FIT ALTO#057725)	8671900 8678053	0.076	20	Ø127.00	Ø155.45	100	
77114B	77114B	4L60, 4L60E (TH700-R4) ST 3/4	8685045	0.106	20	Ø127.00	Ø155.45	100	
77114X	77114X	4L60, 4L60E (TH700-R4) ST 3/4 W/NOTCH POWERPACKTM COMPONENT		0.060	20	Ø127.00	Ø155.45	100	
84101	84101	TH440-T4 (4T60), 4T60-E THIRD-FLAT	8656313	0.090	12	Ø85.70	Ø126.60	100	
84104K	84104K	TH440-T4 (4T60), 4T60-E SECOND-FLAT(koline coated)	8656642	0.090	34	Ø96.00	Ø138.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
84104KA	84104AK	TH440-T4 (4T60) , 4T60-E SECOND-FLAT(koline coated)		0.077	34	Ø96.00	Ø138.00	100	
84104A	84104A	TH440-T4 (4T60) , 4T60-E SECOND-FLAT	8662006	0.077	36	Ø96.45	Ø137.65	100	
84105	84105	TH440-T4 (4T60) , 4T60-E FOURTH	8656767	0.077	6	Ø88.08	Ø151.90	100	
89106	89106	(MX-17) ST 1ST REVERSE #3 BRAKE	94845450 35648-32020	0.071	12	Ø116.30	Ø151.79	100	
89106F	89106F	(MX-17)		0.063	12	Ø116.30	Ø151.79	100	
FORD/MAZDA									
101103	101103	4F27E FORWARD	FN01-19-334	0.063	32	Ø94.35	Ø121.05	100	
101103A		4F27E FORWARD		0.138	32	Ø94.35	Ø121.05	100	
101105	101105	4F27E REVERSE	XSFZ-7B442AB	0.063	36	Ø127.65	Ø145.30	100	
101107	101107	XSFZ-7B422BB	XSFZ-7B442BB	0.063	12	Ø142.75	Ø167.20	100	
106102A		TF-81SC/AF21 1-2-3-4 CLUTCH		0.070	40	Ø141.08		100	
106104A		TF-81SC/AF21 3-5 REVERSE CLUTCH		0.091	36	Ø141.22		100	
106106A		TF-81SC/AF21 4-5-6 CLUTCH		0.070	36	Ø143.13		100	
106108A		TF-81SC/AF21 LOW/REVERSE CLUTCH		0.068	14	Ø173.04		100	
26305A	26305A	C4,C5 ST REVERSE SMOOTH	C4AZ-7B442-B	0.078	26	Ø91.28	Ø121.14	100	
26305B	26305B	C4,C5 ST REVERSE HIGH C5	E2SZ-7B442-A	0.090	26	Ø91.28	Ø121.14	100	
26305X	26305X	C4,C5 ST REVERSE	E2SZ-7B442-B	0.095	26	Ø91.28	Ø121.14	100	
26305S				0.059	26	Ø91.28	Ø121.14	100	
36102	36102	E40D ST COAST	E9TZ-7B442-C	0.080	60	Ø148.40	Ø172.70	100	
36104	36104	E40D ST OVERDRIVE	E9TZ-7B442-A	0.080	6	Ø189.55	Ø233.50	100	
36106	36106	E40D, 4R100 INTERMEDIATE	E9TZ-7B442-B	0.080	30	Ø157.56	Ø211.65	100	
36305	36305	E40D, 4R100 DIRECT; C6 FORWARD	E9TZ-7B442-D C6AZ-7B442-A	0.078	26	Ø166.40~ Ø166.70	Ø130.00	100	
36505	36505	C6 ST REVERSE	C6AZ-7B442-B	0.068	18	Ø144.55	Ø182.70	100	
56305A	56305A	A4LD, 4R44E (2.3, 3.0L) , 4R 55E (4.0L) , 5R55E, 5R55N HIGH/REVERSE (DIRECT)	D8ZZ-7B442-B	0.068	20	Ø100.90	Ø128.00	100	
56305B	56305B	A4LD, 4R44E (2.3, 3.0L) , 4R 55E (4.0L) , 5R55E, 5R55N HIGH/REVERSE (DIRECT)	F0TZ-7B442-B ZZL1-19-334	0.065	20	Ø100.90	Ø128.00	100	
56405	56405	A4LD, 4R44E (2.3, 3.0L) , 4R 55E (4.0L) , 5R55E, 5R55N FORWARD		0.078	19	Ø96.60	Ø122.00	100	
56405A	564305A	A4LD, 4R44E (2.3, 3.0L) , 4R 55E (4.0L) , 5R55E, 5R55N FORWARD	D8ZZ-7B442-A	0.068	19	Ø96.60	Ø122.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
56405B	56405B	A4LD, 4R44E (2.3, 3.0L), 4R55E (4.0L), 5R55E, 5R55N FORWARD	F0TZ-7B442-A ZZL1-19-334	0.065	19	Ø96.60	Ø122.00	100	
63101	63101	NISSAN RE4F04A/FORD F420E HIGH	31536-80X05	0.055	28	Ø91.75	Ø119.00	100	
63101A	63101A	NISSAN RE4F04A/FORD F420E HIGH	31536-80X04	0.079	28	Ø91.75	Ø119.00	100	
63103	63103	NISSAN RE4F04A/FORD F420E LOW/REVERSE (NARROW)	31666-80X00	0.071	10	Ø150.00	Ø172.85	100	
64101	64101	NISSAN RE4F04A/FORD F420E REVERSE	31536-80X00	0.071	30	Ø126.00	Ø146.00	100	
64107	64107	NISSAN RE4F04A/FORD F420E FORWARD	31536-80X02	0.071	32	Ø125.00	Ø143.00	100	
64109	64109	NISSAN RE4F04A/FORD F420E OVERRUN	31536-80X03	0.071	8	Ø113.00	Ø143.00	100	
71111A	71111A	MAZDA G4A-EL, G4A-HL, GF4A-EL, GF4E-AT ST FORWARD	FU9A-19-571-A F32Z-7B442-C	0.063	32	Ø122.06	Ø151.80	100	
71112	71112	MAZDA G4A-EL, G4A-HL, GF4A-EL, GF4E-AT ST COAST	FU01-19-621-A E92Z-7B442-B	0.063	32	Ø112.16	Ø137.00	100	
71113A	71113A	MAZDA G4A-EL, G4A-HL, GF4A-EL, GF4E-AT ST REVERSE	FU9A-19-561 F32Z-7B442-D	0.063	30	Ø179.92	Ø204.72	100	
71114A	71114A	MAZDA G4A-EL, G4A-HL, GF4A-EL OVERDRIVE (3/4)	FU50-19-334	0.063	30	Ø102.30	Ø123.80	100	
71114B	71114B	MAZDA G4A-EL, G4A-HL, GF4A-EL 3-4 OVERDRIVE TURBO 88-UP & AUSTRALIAN BUILT CAPRI, 91-94	FU32-19-334	0.091	30	Ø102.30	Ø123.80	100	
71114C	71114C	MAZDA G4A-EL, G4A-HL, GF4A-EL, OVERDRIVE (3/4)	FU6D-19-334 F32Z-7B442B FU9D-19-334 FU2G-19-334	0.130	30	Ø102.30	Ø123.80	100	
71115	71115	MAZDA G4A-EL, G4A-HL, GF4A-EL, GF4E-AT ST LOW/REVERSE	FU01-19-451B E92Z-7B442-E	0.063	15	Ø181.00	Ø206.60	100	
73101	73101	CD4E ST FORWARD	F3RZ-7B442-C	0.069	32	Ø108.30	Ø140.60	100	
73103	73103	CD4E ST DIRECT	F3RZ-7B442-E	0.079	32	Ø104.40	Ø140.60	100	
73103A	73103A	CD4E/LA4AEL DIRECT SOME 4 CYL. (USED WITH DRUM F5RZ-7G120-A)	F5RZ-7B442-A	0.118	32	Ø104.40	Ø140.60	100	
73105	73105	CD4E LOW/REVERSE	F3RZ-7B442-B	0.069	18	Ø198.10	Ø227.20	100	
73105A	73105A	CD4E ST LOW/REVERSE SELECTIVE		0.083	18	Ø198.10	Ø227.20	100	
73105B	73105B	CD4E ST LOW/REVERSE SELECTIVE		0.091	18	Ø198.10	Ø227.20	100	
73105C	73105C	CD4E ST LOW/REVERSE SELECTIVE		0.098	18	Ø198.10	Ø227.20	100	
73105D	73105D	CD4E ST LOW/REVERSE SELECTIVE		0.106	18	Ø198.10	Ø227.20	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
73107	73107	CD4E ST REVERSE INPUT	F3RZ-7B442-A	0.069	32	Ø120.65	Ø158.55	100	
73109	73109	CD4E ST COAST	F3RZ-7B442-D	0.069	20	Ø96.10	Ø140.70	100	
73111	73111							100	
73131	73131	FORD CD4E/MAZDA LA4AEL PRESSURE PLATE REVERSE INPUT, 94-UP		0.157	32	Ø120.66	Ø158.55	100	
74111	74111	FORD 4EAT-F, MAZDA F4A- EL FORDWARD	F1CZ-7B442-A	0.063	31			100	
74112	74112	MAZDA G4A-EL, G4A-HL, GF4A-EL, GF4E-AT ST COAST CLUTCH (3RD)	F1CZ-7B442-B FU60-19-621A	0.063	26	Ø98.25	Ø119.40	100	
74113	74113	FORD 4EAT-F, MAZDA F4A- EL REVERSE	F1CZ-7B442-C	0.063	32	Ø160.60	Ø181.70	100	
74114	74114	FORD 4EAT-F, MAZDA F4A- EL	F1CZ-7B442-D FU64-19-334A	0.063	38	Ø93.20	Ø114.55	100	
74114A	74114A	FORD 4EAT-F, MAZDA F5A- EL	F1CZ-7B442-F FU64-19-334B	0.091	38	Ø93.20	Ø114.55	100	
74114B	74114B	FORD 4EAT-F, MAZDA F6A- EL	F1CZ-7B442-D FU64-19-334A	0.071	38	Ø93.20	Ø114.55	100	
74114C	74114C	FORD 4EAT-F, MAZDA F7A- EL	FW30-19-334 F7CZ-7B442-A	0.130	38	Ø93.20	Ø114.55	100	
74115	74115	FORD 4EAT-F, MAZDA F4A- EL LOW	F1CZ-7B442-E	0.063	16	Ø166.60	Ø188.25	100	
76305	76305	FORD/LINCOLN/MERCURY AOD (FIOD)/AODE, 4R70W (AODE-W) DIRECT FOR CAST IRON DRUM	E0AZ-7B442-A	0.070	28	Ø92.90	Ø123.40	100	
76305A	76305A	FORD/LINCOLN/MERCURY AOD (FIOD)/AODE, 4R70W (AODE-W) DIRECT (EXCEPT 96-UP LINCOLN MARK & TRUCKS) GROB	E9SZ-7B442-A	0.070	34	Ø92.90	Ø126.95	100	
76405	76405	FORD/LINCOLN/MERCURY AOD (FIOD)/AODE, 4R70W (AODE-W) FORWARD GROB	F0SZ-7B442-A	0.069	34	Ø99.20	Ø143.15	100	
76605	76605	FORD/LINCOLN/MERCURY AOD (FIOD)/AODE, 4R70W (AODE-W) INTERMEDIATE	F7LZ-7B442-AA	0.069	18	Ø148.75	Ø188.60	100	
76607	76607	FORD/LINCOLN/MERCURY AOD (FIOD)/AODE, 4R70W (AODE-W) INTERMEDIATE	F7LZ-7B442-DA	0.089	18	Ø148.75	Ø188.60	100	
86305	86305	ATX ST DIRECT	E1FZ-7B442-A	0.070	18	Ø98.70	Ø133.00	100	
86405A	86405A	ATX ST INTERMEDIATE		0.070	36	Ø154.36	Ø190.12	100	
86505	86505	ATX ST REVERSE	E1EZ-7B442-C	0.070	11	Ø162.10	Ø217.00	100	
91100	91100	F3A ST FORWARD/DIRECT MAZDA, FORD, ST FORWARD/DIRECT ASPIRE	FT01-19-499 94140871	0.063	28	Ø91.90	Ø121.45	100	
91100A	91100A	F3A ST FORWARD/DIRECT MAZDA, FORD, ST FORWARD/DIRECT ASPIRE		0.098	28	Ø91.90	Ø121.45	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
91100F	91100F	F3A		0.059	28	Ø91.90	Ø121.45	100	
91104	91104	F3A ST LOW/REVERSE MAZDA, FORD, ST LOW/REVERSE ASPIRE	FT01-19-609 94140789	0.063	37	Ø130.06	Ø151.35	100	
91104A	91104A			0.060	36	Ø129.70	Ø152.00	100	
96100	96100	FORD/LINCOLN/MERCURY AXOD/AXODE (AX4S), AX4N FORWARD, SMALL I.D.	E6DZ-7B442-A	0.070	34	Ø119.85	Ø153.70	100	
96100A	96100A	FORD/LINCOLN/MERCURY AXOD/AXODE (AX4S), AX4N FORWARD, LARGE I.D.	F2DZ-7B442-A	0.070	34	Ø125.65	Ø153.80	100	
96101	96101	FORD/LINCOLN/MERCURY AXOD/AXODE (AX4S), AX4N REVERSE	E6DZ-7B442-C	0.070	34	Ø122.50	Ø156.45	100	
96106	96106	FORD/LINCOLN/MERCURY AXOD/AXODE (AX4S), AX4N INTERMEDIATE, LOW/INTERMEDIATE	F6DZ-7B442-A	0.069	32	Ø120.60	Ø159.75	100	
CHRYSLER									
12751	12751	30RH, 31RH, 32RH (TF-6, A904, A998, A999) ST FRONT & REAR	4617325 1942403	0.068	12	Ø100.10	Ø134.05	100	
12847	12847	A500 (40RH, 42RH, 42RE) OVERDRIVE	4461047	0.068	12	Ø127.60	Ø164.60	100	
12751F		30RH, 31RH, 32RH (TF-6, A904, A998, A999)		0.078	12	Ø100.10	Ø134.05	100	
12751X	027717	30RH, 31RH, 32RH (TF-6, A904, A998, A999) ST FRONT & REAR		0.088	12	Ø100.10	Ø134.05	100	
12854	027721	40RH, 42RH, 42RE, 44RE (A500, A500SE) ST OVERDRIVE DIRECT	4461054	0.069	12	Ø118.95	Ø145.55	100	
172120A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC 2-6 (B1) CLUTCH, 2005-UP	68019838AA	0.112	16	Ø151.00			
172124A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC 1-2-3-4 (K1) CLUTCH 2005-UP	68019775AA	0.096	20	Ø105.05			



LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
172126A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC 3-5 REVERSE (K3) CLUTCH 2005-UP (CHRYSLER TAKES 5) (ISUZU TAKES 4) (ALSO FITS AS68RC (ALL) 4-5-6 (K2) CLUTCH#128 2005-UP)	68019747AA	0.097	20	Ø175.05			
172134A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC LOW/REVERSE (B2) CLUTCH 2005-UP	68019848AA	0.112	16	Ø171.00			
22594	22594	A518 (46RH, 46RE) A618 (47RH, 47RE) FRONT (DIRECT, HIGH & REVERSE)	52118812AA	0.068	12	Ø135.80	Ø178.65	100	
32752	32752	A404 (30TH) A413, A470, A670 (31TH) FRONT	4207208 4659379	0.101	8	Ø104.30	Ø132.57	100	
32753	32753	A404 (30TH) A413, A470, A670 (31TH) REAR	5224073 4224073	0.068	8	Ø108.22	Ø132.40	100	
92135	92135	A604 (40TE, 41TE, 41AE- AWD) 2ND 4TH	4567910	0.101	14	Ø133.75	Ø162.25	100	
92162	92162	A604 (40TE, 41TE, 41AE- AWD) LOW/REVERSE	4567911	0.067	14	Ø133.75	Ø162.25	100	
92183	077701	(A604, 40TE, 41TE, 41AE, F4AC1) ST UNDERDRIVE, ST OVERDRIVE, ST REVERSE, A606 (42LE) ST OVERDRIVE, ST REVERSE, ST UNDERDRIVE	4531905 4377183 4659053	0.067	8	Ø115.00	Ø147.75	100	
92190	077701A	(A604, 40TE, 41TE, 41AE, F4AC1) ST OVERDRIVE	4377190	0.098	8	Ø115.00	Ø147.75	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
TOYOTA									
1220A1		TOYOTA VEHICLES		0.110	16		Ø187.08	100	
1220B1		TOYOTA VEHICLES		0.110	16		Ø187.13	100	
1220C1		TOYOTA VEHICLES		0.094	20		Ø186.32	100	
1220E1		TOYOTA VEHICLES		0.094	20		Ø134.00	100	
67101	67101	TOYOTA/MITSUBISHI/VOLVO /ISUZE A40 SERIES OVERRUN BRAKE #1	35634-22090	0.071	8	Ø102.00	Ø137.10	100	
67102	67102	TOYOTA/MITSUBISHI/VOLVO /ISUZE A40 SERIES FORDWARD (FRONT) , DIRECT (REAR) , OVERDRIVE (DIRECT)	35634-22070	0.071	8	Ø101.98	Ø132.02	100	
67104	67104	TOYOTA/MITSUBISHI/VOLVO /ISUZE A40 SERIES LOW/REVERSE BRAKE #3	35634-22080	0.071	15	Ø101.78	Ø135.94	100	
67107	67107	TOYOTA/MITSUBISHI/VOLVO /ISUZE A40 SERIES INTERMEDIATE BRAKE #2	35648-30020	0.091	8	Ø102.00	Ø137.10	100	
67122	67122	TOYOTA A40 SERIES OVERRUN BRAKE#1 4.01"ID 80-UP	35648-30010	0.079	8	Ø102.00	Ø137.10	100	
67127	67127	TOYOTA/MITSUBISHI/VOLVO /ISUZE A40 SERIES OVERDRIVE	35634-30080	0.071	7	Ø116.40	Ø157.32	100	
89102	89102	A140E/L,A140L,A141E FORWARD ,DIRECT	35634-32010 35634-32020	0.071	8	Ø105.10	Ø132.10	100	
89105	89105	A140E/L,A140L,A141E INTERMEDIATE (SECOND BRAKE)	35648-32010	0.071	12	Ø116.30	Ø151.60	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
89106	89106	(A140E,A140L,A141E, A142E,A142L), ST 1ST REVERSE OR LOW/REVERSE, ST OVERDRIVE BRAKE, (A540E)ST 1ST LOW/REVERSE,B3	94845450 35648-32020	0.071	12	Ø116.30	Ø151.79	100	
89106A	89106A	A345E,246E,247E	35468-12020	0.071	12	Ø125.00	Ø151.85	100	
89106F	89106F	(A140E,A140L,A141E, A142E,A142L), (A540E)		0.063	12	Ø116.30	Ø151.79	100	
89108	89108	(A140E,A140L,A141E, A142E,A142L)ST UNDERDRIVE DIRECT, ST DIFF 4X4 A240H COROLLA (All TRAC 4WD)	34263-12010 94844909	0.071	20	Ø90.65	Ø113.80	100	
89110	89110	(A140E,A140L,A141E, A142E,A142L)ST UNDERDRIVE BRAKE (PLUS A242L 94-ON)	34264-12010	0.071	8	Ø80.20	Ø117.95	100	
89110A	89110A	A245E,246E,247E,IARGE ID, UNDERDRIVE #2	34264-12020	0.071	8	Ø87.00	Ø118.55	100	
89111	065709	(A140E, A140L, A141E, A142E, A142L)ST OVERDRIVE DIRECT, (A540E)ST PVERDROVE DORECT. C0	35634-20010	0.071	20	Ø104.85	Ø133.70	100	
89112	89112	(A140E,A140L,A141E, A142E,A142L)ST BRAKE #2 OR INTERMEDIATE, ST OVERDRIVE BRAKE EXCEPT CAMRY 9/91+	35648-20010	0.071	12	Ø143.20	Ø175.30	100	
89117	89117	(A540E)ST DIRECT, C2 EXCEPT 540H	35634-32020	0.071	6	Ø105.46	Ø142.00	100	
89119	89119	(A540E)ST 2ND BRAKE, B2 EXCEPT 540H, 541E	35648-32030	0.071	12	Ø116.35	Ø153.60	100	
89120	89120	(A140E, A140L, A141E, A142E, A142L)ST OVERDRIVE BRAKE CAMRY ONLY, (A540E)ST OVERDRIVE BRAKE, B0	35648-33030	0.098	12	Ø143.20	Ø175.30	100	
89121	89121	A540E, A540H, A541H DIFFERENTIAL	41474-32011	0.063	30	Ø90.50	Ø120.50	100	
93107C	93107C	(A340 SERIES)		0.117	27	Ø112.05	Ø139.00	100	
93107D	93107D	(A340 SERIES)	31536-41X03	0.078	27	Ø112.05	Ø139.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
97100	97100	(A340 SERIES) ST OVERDRIVE DIRECT	34634-30020	0.079	6	Ø143.10	Ø182.42	100	
97111	97111	(A340 SERIES) ST FORWARD	35634-30100	0.079	8	Ø105.10	Ø132.10	100	
97111A	97111A	A340 SERIES FORWARD (GS-300)		0.091	8	Ø105.10	Ø132.10	100	
97111F				0.091	8	Ø102.00	Ø132.00	100	
97113	97113	(A340 SERIES) ST 2ND BRAKE	35647-30030	0.071	16	Ø105.75	Ø142.60	100	
97114	97114	(A340 SERIES) ST 1ST LOW/REVERSE	35648-30031	0.071	15	Ø105.75	Ø142.60	100	
97116	97116	A340 SERIES TRANSFER CASE (LOW BRAKE)	34686-35010	0.071	8	Ø151.20	Ø185.00	100	
97123	97123	(A340 SERIES) ST 2ND BRAKE	35647-30020	0.098	16	Ø105.75	Ø142.60	100	
97124	97124	(A340 SERIES) ST DIRECT	35647-30011	0.091	6	Ø105.45	Ø141.90	100	
97133	97133	(A340 SERIES) ST DIRECT	35647-14010	0.118	6	Ø105.45	Ø141.90	100	
97310		TOYOTA CVT K310/K311 FORWARD CLUTCH STEEL PLATE YEAR: 04-UP			40	Ø117	Ø94.6		
NISSAN									
015100	015100	JF015E/CVT (RE0F11A) JUKE, MARCH, ROOX, TIIDA, M OCO							
123113		NISSAN RE5R05A STEEL, REVERSE CLUTCH (5 15/16" ID) 02-UP		0.079	18	Ø150.65	Ø178.48	100	
63101	63101	NISSAN RE4F04A/FORD F420E HIGH	31536-80X05	0.055	28	Ø91.75	Ø119.00	100	
63101A	63101A	NISSAN RE4F04A/FORD F420E HIGH	31536-80X04	0.079	28	Ø91.75	Ø119.00	100	
63103	63103	NISSAN RE4F04A/FORD F420E LOW/REVERSE (NARROW)	31666-80X00	0.071	10	Ø150.00	Ø172.85	100	
64101	64101	NISSAN RE4F04A/FORD F420E REVERSE	31536-80X00	0.071	30	Ø126.00	Ø146.00	100	
64107	64107	NISSAN RE4F04A/FORD F420E FORWARD	31536-80X02	0.071	32	Ø125.00	Ø143.00	100	
64109	64109	NISSAN RE4F04A/FORD F420E OVERRUN	31536-80X03	0.071	8	Ø113.00	Ø143.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
66305	66305	(E4N71B, L4N71B) ST FORWARD, ST DIRECT, ST OVERDRIVE	31536-X0100 D37Z-7B422-A	0.079	28	Ø91.90	Ø121.45	100	
66305A	66305A	(E4N71B, L4N71B)		0.031	28	Ø91.90	Ø121.45	100	
66505	66505	(L3N71A, L3N71B) ST LOW/REVERSE	31666-X0100 D37Z-7B442-B	0.079	13	Ø107.14	Ø143.75	100	
69112	69112	FORWARD CLUTCH NISSAN (RE4R01A, RL4R01A) 1987/1995; SUBURU R4AX-EL (EC8/4EAT) 1993-UP	31536-AA-080 31536-41X09	0.079	24	Ø136.10	Ø155.20	100	
69113	69113	OVERRUN CLUTCH NISSAN (RE4R01A, RL4R01A); SUBURU R4AX- EL (EC8/4EAT) 1987-UP	31536-41X10 31536-AA-090	0.079	6	Ø119.50	Ø155.25	100	
69114	69114	LOW/REVERSE CLUTCH NISSAN (RE4R01A, RL4R01A) 1989-UP; SUBURU R4AX-EL (EC8/4EAT) 1987-92	31666-41X01 31666-AA-050	0.079	14	Ø129.20	Ø159.80	100	
69117	69117	RE4R01A, RL4R01A, R4A- EL, HIGH 87-UP	31536-41X04	0.067	27	Ø112.05	Ø139.00	100	
69201		RE5R05A K-2 HIGH-LOW REVERSE	31536-90X02	0.094	24	Ø95.10	Ø131.10	100	
69203		RE5R05A B-2 LOW COAST	31666-90X02	0.079	18	Ø113.00	Ø141.20	100	
69205		RE5R05A B-3 FORWARD	31666-90X01	0.079	18	Ø124.30	Ø159.40	100	
69207		RE5R05A DIRECT	31666-90X01	0.094	24	Ø140.70	Ø168.50	100	
69209		RE5R05A K-1 INPUT	31536-90X00	0.079	24	Ø144.20	Ø167.90	100	
69211		RE5R05A B-1 REVERSE BRAKE	31666-90X00	0.079	18	Ø150.70	Ø178.40	100	
83100	83100	(RN3F01A, RL3F01A) ST FRONT, ST REAR	31536-01X00	0.079	12	Ø112.10	Ø134.00	100	
83104	83104	(RN3F01A, RL3F01A) ST LOW/REVERSE	31666-01X00	0.079	8	Ø160.10	Ø186.75	100	
93102	93102	(RE4F02A, RL4F02A) REVERSE INPUT-ROUND TOOTH(S)	31536-21X01	0.079	30	Ø136.00	Ø156.60	100	
93107	93107	(RE4F02A, RL4F02A) ST HIGH MAXIMA, ST HIGH STANZA, ST HIGH STANZA WAGON	31536-21X02	0.108	24	Ø112.05	Ø134.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
93107A	93107A	(RE4F02A, RL4F02A) ST HIGH MAXIMA, ST HIGH STANZA, ST HIGH STANZA WAGON	31566-21X00	0.079	24	Ø112.05	Ø134.00	100	
93107B	93107B	(RE4F02A, RL4F02A) ST HIGH MAXIMA	31566-21X03	0.067	24	Ø112.05	Ø134.00	100	
93107D	93107D	(RE4R01A, RL4R01A) ST HIGH	31536-41X03	0.078	27	Ø112.05	Ø139.00	100	
93112	93112	(RE4F02A, RL4F02A) ST LOW RANGE (A11)	31596-21X01 31596-21X00	0.079	12	Ø123.10	Ø154.85	100	
93117	93117	(RE4F02A, RL4F02A) ST LOW & REV BRAKE (ALL)	31666-23X00 31666-21X00	0.079	12	Ø165.15	Ø192.90	100	
99101	99101	(RL4F03A/V, RE4F03A) ST REVERSE	31532-31X05	0.079	30	Ø118.05	Ø136.90	100	
99103	99103	(RL4F03A/V, RE4F03A) ST HIGH RL4F03A/V	31536-31X01	0.079	18	Ø87.05	Ø110.90	100	
99103A	99103A	(RL4F03A/V, RE4F03A)	31536-31X07	0.059	18	Ø87.05	Ø110.90	100	
99105	99105	(RL4F03A/V, RE4F03A) ST FORWARD	31536-31X02	0.079	30	Ø114.90	Ø133.25	100	
99107	99107	(RL4F03A/V, RE4F03A) ST OVERRUN	31536-31X03	0.079	6	Ø105.10	Ø133.40	100	
99109	99109	(RL4F03A/V, RE4F03A) ST LOW/REVERSE	31666-31X01	0.079	6	Ø139.30	Ø159.65	100	
BA		NISSAN GTR		0.047	32	Ø140.15	Ø177.35		
BB		NISSAN GTR		0.063	32	Ø140.15	Ø177.35		
BC		NISSAN GTR		0.079	32	Ø140.15	Ø177.35		
BD		NISSAN GTR		0.071	32	Ø140.15	Ø177.35		
BE		NISSAN GTR		0.094	32	Ø140.15	Ø177.35		
MITSUBISHI									
172120A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC 2-6 (B1) CLUTCH, 2005-UP	68019838AA	0.112	16	Ø151.00			
172124A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC 1-2-3-4 (K1) CLUTCH 2005-UP	68019775AA	0.096	20	Ø105.05			

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
172126A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC 3-5 REVERSE (K3) CLUTCH 2005-UP (CHRYSLER TAKES 5) (ISUZU TAKES 4) (ALSO FITS AS68RC (ALL) 4-5-6 (K2) CLUTCH#128 2005-UP)	68019747AA	0.097	20	Ø175.05			
172134A		CHRYSLER/ISUZU/ MITSUBISHI AS68RC LOW/REVERSE (B2) CLUTCH 2005-UP	68019848AA	0.112	16	Ø171.00			
41101	41101	F4A33-1, W4A33-1 DIRECT (FRONT) 91-UP	MD739384	0.088	26	Ø104.70	Ø144.50	100	
41103	41103	F4A33-1, W4A33-1 FORWARD (REAR) 91-UP	MD731604	0.071	26	Ø110.60	Ø144.50	100	
41105	41105	F4A33-1, W4A33-1 LOW/REVERSE 91-UP	MD731587	0.039	20	Ø140.90	Ø166.10	100	
41113	41113	F4A41, F4A42 REVERSE 5.25" ID		0.071	20	Ø133.60	Ø155.625	100	
41113A	41113A	F4A51 REVERSE 6.03" ID 96-UP		0.071	20	Ø153.40	Ø172.70	100	
41114	41114	F4A41, F4A42 2ND BRAKE 5.13" ID		0.099	17	Ø130.30	Ø167.60	100	
41114A	41114A	F4A51 2ND BRAKE 6.04" ID 96-UP		0.099	16	Ø153.50	Ø187.80	100	
41114B	41114B	F4A41, F4A42, 2ND BRAKE 5.12" ID 96-UP		0.063	17	Ø130.30	Ø167.60	100	
41114C	41114C	F4A41, F4A42, 2ND BRAKE 5.12" ID 96-UP		0.790	17	Ø130.30	Ø167.60	100	
41114D	41114D	F4A51 2ND BRAKE 6.04" ID 96-UP		0.078	16	Ø153.50	Ø187.80	100	
41115	41115	F4A41, F4A42 LOW/REVERSE 5.54" ID		0.039	17	Ø140.80	Ø167.60	100	
41115A	41115A	F4A51 LOW/REVERSE 6.29" ID 96-UP		0.039	16	Ø160.00	Ø188.20	100	
41116	41116	F4A41, F4A42 OVERDRIVE 4.66" ID		0.099	20	Ø118.25	Ø142.60	100	
41116A	41116A	F4A51 OVERDRIVE 4.84" ID 96-UP		0.099	20	Ø123.10	Ø154.50	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
41117	41117	F4A41, F4A42 UNDERDRIVE 4.66"ID		0.071	20	Ø118.25	Ø142.60	100	
41117-1.5		F4A41, F4A42 UNDERDRIVE 4.66"ID		0.060	20	Ø118.25	Ø142.60	100	
42101A	42101A	KM SERIES	MD722559	0.146	24	Ø104.50	Ø134.88	100	
42101B	42101B	KM SERIES		0.120	24	Ø104.50	Ø134.88	100	
42102A	42102A	KM SERIES		0.071	24	Ø104.50	Ø134.88	100	
42112	42112	KM SERIES	MD712528	0.032	25	Ø105.75	Ø129.00	100	
42113	42113	KM SERIES	MD727798	0.039	20	Ø134.90	Ø164.20	100	
42114	42114	KM170, KM171 & KM172 SERIES, F3A21-2 (171-5), F3A22- 2 (172-5) LOW/REVERSE	MD727799	0.071	20	Ø134.90	Ø164.20	100	
HONDA									
88100	88100	CA, M4VA, P1, L4, A24A, M24A , P24A, S24A, AK, AS 84-ON	25543-PHO-850	0.063	8	Ø82.05	Ø116.20	100	
88102	88102	CA, M4VA, P1, L4, A24A, M24A , P24A, S24A, AK, AS 84-ON	22543-PC9-000	0.078	8	Ø82.05	Ø116.20	100	
88102X	88102X	4 SPD-2 SHAFT-FWD 1ST, 2ND, 3RD & 4TH		0.070	8	Ø82.05	Ø116.10	100	
88108	88108	HONDA 4 SPEED, F4, PF4, K4, PY8A, RO, MP7A, SP7A, G4, L5 , PL5X, MPWA, M1WA 1 2 3 4 1985-ON	22543-PF4-000	0.078	10	Ø87.40	Ø122.10	100	
88108X	88108X	4 SPD- 2 SHAFT-FWD 1ST, 2ND, 3RD & 4TH		0.070	10	Ø87.40	Ø122.10	100	
88110	88110	HONDA 3 SPEED 1ST, 2ND & 3RD; 4 SPD-2 SHAFT- FWD 1ST, 2ND, 3RD & 4TH	22543-PA9-010	0.079	8	Ø82.00	Ø112.30	100	
88111	88110	4 SPD- 2 SHAFT-FWD LOW HOLD SECONDARY SHAFT	22543-PS5-003	0.079	18	Ø71.30	Ø105.34~ Ø105.40	100	
98111	98111	(4 SPEED MPWA MPOA, PX4B) ST LOW(1ST), ST LOW/HOLD	22543-PX4-003	0.079	24	Ø93.40	Ø126.65	100	
98111A	98111A	(4 SPEED MPWA MPOA, PX4B) ST ALL PACKS SELECTIVE		0.070	24	Ø93.40	Ø126.65	100	
98111E	98111E	BAXA, B6VA, MAXA, MDWA, M6HA - 4 SPD, 1ST, 97- UP		0.079	24	Ø91.50	Ø122.60	100	
98113	98113	(4 SPEED MPWA MPOA, PX4B) ST 2ND	22644-PX4-013	0.102	24	Ø93.40	Ø126.65	100	
98114	98114	M6HA, B6VA, 2ND, 97-UP		0.063	24	Ø91.50	Ø122.60	100	
98114A	98114A	BAXA, MDWA, MAXA, 2ND, 97-UP		0.091	24	Ø91.50	Ø122.60	100	
98115	98115	(4 SPEED MPWA MPOA, PX4B) ST 3RD, ST 4TH	22653-PX4-003	0.091	24	Ø93.40	Ø126.65	100	
HYUNDAI									

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
B-2-MC21S		HYUNDAI JF402E LOW, 2003-ON	45421-02700	0.056	36	Ø101.00	Ø114.60	100	
B-4-MC21S		HYUNDAI JF402E REVERSE, 2003-ON	45487-02700	0.078	16	Ø100.10	Ø115.75	100	
B-6-MC21S		HYUNDAI JF402E HIGH, 2003-ON	45449-02700	0.079	36	Ø74.50	Ø94.20	100	
B-8-MC21S		HYUNDAI JF402E LOW/REVERSE, 2003-ON	45463-02700	0.071	10	Ø120.80	Ø139.10	100	
SUZUKI									
41007		SUZUKI, WAGON R+ BRAKE (1ST & 2ND), 98- ON		0.071	18	Ø123.05	Ø155.85	100	
41009		SUZUKI, WAGON R+ REVERSE, 98-ON		0.047	19	Ø118.20	Ø139.00	100	
41011		SUZUKI, WAGON R+ "C2" CLUTCH (2ND, 3RD & 4TH) 98-ON		0.071	8	Ø118.20	Ø138.40	100	
41013		SUZUKI, WAGON R+ "C1" CLUTCH (1ST & 3RD) 98-ON		0.071	8	Ø85.10	Ø103.30	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
VOLKSWAGEN									
001115		VW JATCO JF404E 3RD & 4TH CLUTCH-HIGH 00-ON	001-323-944	0.079	24	Ø96.50	Ø126.20	100	
001116		VW JATCO JF404E 1ST & 3RD CLUTCH-LOW 00-ON	001-323-139E	0.051	24	Ø81.00	Ø107.30	100	
001117		VW JATCO JF404E REVERSE, 00-ON	001-323-139	0.118	15	Ø113.60	Ø130.75	100	
119100	119100	096 (01M) ST B-1 REVERSE BRAKE (REAR)	095-323-227	0.079	12	Ø129.40	Ø156.00	100	
119100F	119100F	096 (01M)		0.058	12	Ø129.40	Ø156.00	100	
119104	119104	096 (01M) ST B2 BRAKE (FRONT)	097-323-463	0.079	3	Ø136.15	Ø184.00	100	
119107	119107	096 (01M) ST KI 1ST-3RD SHIFT, ST K2 REVERSE GEAR		0.079	32	Ø104.0	Ø127.95	100	
119107A	119107A	VW-095, 096 (01M) , 098 (01P) , AUDI-097 (01N) FORWARD (1ST-3RD K1)		0.057	32	Ø104.0	Ø127.95	100	
119109	119109	096 (01M) ST K3 3-4 CLUTCH		0.079	26	Ø72.22	Ø103.00	100	
119109A	119109A	VW-095, 096 (01M) , 098 (01P) , AUDI-097 (01N) 3/4 CLUTCH (K3)		0.057	28	Ø72.26	Ø109.46	100	
79100	79100	(VW010) ST DIRECT/REVERSE, ST FORWARD	010-323-139	0.079	17	Ø103.15	Ø126.50	100	
RENAULT/EAGLE									
52102	52102	RENAULT/EAGLE MB1,MJ1,MJ3 REAR F2	7701-462-297	0.060	12	Ø158.65	Ø186.00	100	
52104	52104	RENAULT/EAGLE MB1,MJ1,MJ3 REAR F2 (WAVED)	7701-462-297	0.060	12	Ø158.65	Ø186.00	100	
52106	52106	RENAULT/EAGLE MB1,MJ1,MJ3 FRONT	7701-462-298	0.060	3	Ø171.10	Ø202.75	100	
52107	52107	RENAULT/EAGLE MB1,MJ1,MJ3 FRONT (WAVED)	7701-462-298	0.060	3	Ø171.10	Ø202.75	100	
52109	52109	RENAULT/EAGLE MB1,MJ1,MJ3 E1-INNER		0.060	3	Ø109.00	Ø129.65	100	
52110	52110	RENAULT/EAGLE MB1,MJ1,MJ3 E1-INNER (WAVED)		0.060	3	Ø109.00	Ø129.65	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
52112	52112	RENAULT/EAGLE MB1,MJ1,MJ3 E2-OUTER		0.060	3	Ø126.12	Ø148.8	100	
52113	52113	RENAULT/EAGLE MB1,MJ1,MJ3 E2-OUTER (WAVED)		0.060	3	Ø126.12	Ø148.80	100	
AISIN WARNER									
59101	59101	AW50-40/42/42LE,AW60-40 COAST/UNDERDRIVE	90348787	0.071	8	Ø91.10	Ø116.02	100	
59101A	59101A	AW50-40/42/42LE,AW60-40 COAST	90444863	0.071	16	Ø104.00	Ø149.70	100	
59101A-4.0		AW50-40/42/42LE,AW60-40, 92-UP	90444863	0.157	16	Ø104.00	Ø149.70	100	
59101B	59101B	AW50-40/42/42LE,AW60-40, 92-UP	90444550	0.126	16	Ø104.00	Ø149.70	100	
59103	59103	AW50-40 2ND BRAKE 5.66"ID 89-98	90348795	0.098	10	Ø143.90	Ø168.80	100	
59103A	59103A	AW50-40 2ND BRAKE 5.66"ID 89-98		0.071	10	Ø143.90	Ø168.80	100	
59105	59105	AW50-40/42/42LE,AW60-40 LOW/REVERSE	90348807	0.071	15	Ø143.9	Ø168.55	100	
59105A	59105A	AW50-40/42/42LE,AW60-40 LOW/REVERSE	70444973	0.071	15	Ø144.00	Ø168.40	100	
59107	59107	AW50-40/42/42LE,AW60-40 DIRECT	90348778	0.071	12	Ø114.10	Ø142.00	100	
59109	59109	AW50-40/42/42LE,AW60-40 FORWARD	90348774	0.071	12	Ø90.90	Ø116.00	100	
59109A	59109A	AW50-40/42/42LE,AW60-40 FORWARD	90444670	0.071	20	Ø118.85	Ø147.74	100	
59112	59112	AW50-40/42/42LE,AW60-40 REVERSE	90444686	0.071	6	Ø104.10	Ø133.30	100	
59113	59113	AW50-40/42/42LE,AW60-40 3-4	90444885	0.071	36	Ø118.95	Ø149.80	100	
59113-2.5		AW50-40/42/42LE,AW60-40, 92-UP	90444885	0.098	36	Ø118.95	Ø149.80	100	
59113-3.6		AW50-40/42/42LE,AW60-40, 92-UP	90444885	0.142	36	Ø118.95	Ø149.80	100	
59113-4.0		AW50-40/42/42LE,AW60-40, 92-UP	90444885	0.157	36	Ø118.95	Ø149.80	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
MERCEDES									
68100	68100	BENZ STEEL PLATE 2.0 M/M	109-272-1526	0.079	12	Ø103.28	Ø144.16	100	
68101	68101	BENZ STEEL PLATE 3.0 M/M	109-272-0626	0.118	12	Ø103.28	Ø144.16	100	
68102	68102	BENZ STEEL PLATE 3.5 M/M	109-272-1426	0.138	12	Ø103.28	Ø144.16	100	
68115	68115	722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS) (FRONT), 4SPD-RWD- 6 BOLT PAN	126-272-4926	0.079	6	Ø104.10	Ø143.90	100	
68115B	68115B	MERCEDES 722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS); 722.4 (W4A020 190 & "C"); 722.5 (W5A030) FRONT (K1 PACK)	126-272-5026	0.138	6	Ø104.10	Ø143.90	100	
68115C	68115C	722.3 (W4A040) / 722.5 (W5A030) DIRECT CLUTCH (K1) 1981-97		0.157	6	Ø104.10	Ø143.90	100	
68115D	68115D	722.3 (W4A040) / 722.5 (W5A030) DIRECT CLUTCH (K1) 1981-97	126-272-3226	0.177	6	Ø104.10	Ø143.90	100	
68115E	68115E	722.3 (W4A040) / 722.5 (W5A030) DIRECT CLUTCH (K1) 1981-97		0.197	6	Ø104.10	Ø143.90	100	
68116	68116	722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS) (4TH), 4SPD- RWD-6 BOLT PAN	126-272-4726	0.079	6	Ø88.10	Ø124.80	100	
68116B	68116B	722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS) (4TH), 4SPD-RWD-6 BOLT PAN	126-272-4826	0.138	6	Ø88.10	Ø124.80	100	
68117	68117	722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS) (REVERSE), 4SPD- RWD-6 BOLT PAN	126-272-6726	0.090	36	Ø147.20	Ø176.90	100	
68117A	68117A	722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS) (REVERSE), 4SPD- RWD-6 BOLT PAN	126-272-6726	0.110	36	Ø147.20	Ø176.90	100	
68128	68128	722.4 (W4A020 190 & "C") (FRONT)	201-272-0726	0.079	6	Ø89.60	Ø119.80	100	
68128A	68128A	722.4 (W4A020 190 & "C") (FRONT)	201-272-0826	0.118	6	Ø89.60	Ø119.80	100	
68128B	68128B	722.4 (W4A020 190 & "C") (FRONT)	201-272-0926	0.138	6	Ø89.60	Ø119.80	100	
68129	68129	MERCEDES 722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS); 722.4 (W4A020 190 & "C") 4TH (K2 PACK)	201-272-0126	0.079	6	Ø82.70	Ø119.80	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
68129A	68129A	MERCEDES 722.3 (W4A040 LARGE PAN, 123, 126 CHASSIS); 722.4 (W4A020 190 & "C") 4TH (K2 PACK)	201-272-0226	0.118	6	Ø82.70	Ø119.80	100	
68129B	68129B	722.4 (W4A020 190 & "C") (4TH)	201-272-0326	0.138	6	Ø82.70	Ø117.85	100	
ZF									
82100	82100	ZF 4HP22 A CLUTCH	1043-302-046	0.071	24	Ø76.20	Ø107.8	100	
82104	82104	(ZF4HP22) ST DIRECT B PACK, ST INTERMEDIATE C PACK, ST INTERMEDIATE C' PACK, ST REVERSE D PACK		0.071	12	Ø119.30	Ø155.95	100	
82104C	82104C	ZF3HP22, ZF4HP22, ZF4HP24 DIRECT (B), INTERMEDIATE (C, C') & REVERSE (D)	24-34-1-209-842	0.047	12	Ø122.20	Ø155.62	100	
82104E	82104E	ZF3HP22, ZF4HP22, ZF4HP24 DIRECT (B PACK)	24-23-1-215-825	0.082	12	Ø119.30	Ø155.95	100	
82111	82111	ZF3HP22, ZF4HP22, ZF4HP24 INPUT (E PACK)	24-23-1-215-440	0.059	24	Ø107.10	Ø134.25	100	
82112	82112	ZF3HP22, ZF4HP22, ZF4HP24 OVERDRIVE (F PACK)	24-23-1-215-453	0.083	24	Ø107.10	Ø134.25	100	
85121	85121	ZF4HP14, ZF6HP18Q (TRANSVERSE), ZFHP18FL (IN-LINE) INTERMEDIATE/ OVERRUN (C PACK) ZF5HP18, ZF5HP30 OVERRUN 5TH (E PACK)	1036-302-015	0.071	24	Ø120.00	Ø139.95	100	
85121A	85121A	ZF5HP18, ZF5HP30 OVERDRIVE 5TH (F PACK)	1056-329-002	0.118	24	Ø120.00	Ø139.95	100	
85122	85122	ZF4HP14, ZF6HP18Q (TRANSVERSE), ZFHP18FL (IN-LINE) REVERSE (B PACK), FORWARD (A PACK 1ST & 3RD), LOW/REVERSE (D PACK); ZF5HP18, ZF5HP30 DIRECT/REVERSE (B PACK), LOW/REVERSE (D PACK)	1050-302-011	0.071	24	Ø132.10	Ø153.08	100	
85122A-1.8	85122A	5HP-30, E1 BRAKE	1055-374-001	0.071	24	Ø119.00	Ø150.00	100	
85122A-2.0	85122A	5HP-30, E1 BRAKE	1055-374-001	0.079	24	Ø119.00	Ø150.00	100	
85122A-3.0	85122A	5HP-30, E1 BRAKE	1055-374-001	0.118	24	Ø119.00	Ø150.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
85123	85123	ZF4HP14, ZF6HP18Q (TRANSVERSE), ZFHP18FL (IN-LINE) LOW/REVERSE (D PACK)	1036-317-006	0.047	24	Ø120.30	Ø148.00	100	
85124	85124	ZF4HP14, ZF6HP18Q (TRANSVERSE), ZFHP18FL (IN- LINE) INPUT 3/4 (E PACK)	1036-330-036	0.071	30	Ø76.16	Ø103.96	100	
85134	85134	ZF4HP14, ZF6HP18Q (TRANSVER SE), ZFHP18FL (IN-LINE) INPUT 3/4 (E PACK); ZF5HP18, ZF5HP30 3/4 (E PACK)	1050-330-017	0.071	30	Ø78.15	Ø114.42	100	
85143	85143	ZF4HP14, ZF6HP18Q (TRANSVERSE), ZFHP18FL (IN-LINE) LOW/REVERSE (D PACK); ZF5HP18, ZF5HP30 FORWARD (A PACK) WAVE PLATE	1050-302-012	0.040	21	Ø132.00	Ø153.00	100	

LINESOON INDUSTRIAL CO., LTD.

STEEL CLUTCH PLATE

LINESOON#	AP#	DESCRIPTION	OEM#	THICK (inch)	TEETH	INSIDE DIAMETER (mm)	OUTSIDE DIAMETER (mm)	CTN QTY	PRICE
OTHERS									
19205	19205	BW-35 FORWARD STELL CLUTCH PLATE	3164873	0.067	44	Ø79.40	Ø113.50	100	
19205A	19250X	BW-35 PLATE STEEL U/SIZE		0.053	40	Ø79.40	Ø113.50	100	
19205B	19205B	BW-35 PLATE STEEL		0.078	44	Ø79.40	Ø113.50	100	
19205S	19205A	BW-35 PLATE STEEL O/SIZE		0.090	44	Ø79.40	Ø113.50	100	
19205X	19205X	BW-35 PLATE STEEL UNDERSIZED		0.053	44			100	
19222	19222	BW-35 REAR STEEL PLATE	3164863	0.067	44			100	
20016	20016	BTR 85LE CLUTCH PLATE (STEEL)	585050016					100	
20026	20026	BTR 85LE WAVE CLUTCH PLATE (STEEL)	0585-166026		52	Ø102.04	Ø135.40	100	
20107	20107	BTR 85LE, CLUTCH PLATE (STEEL)	0585-166007		52	Ø102.04	Ø135.40	100	
20108	20108	BTR 85LE, CLUTCH PLATE (STEEL)	0585-166008		52	Ø102.04	Ø135.40	100	
20112		BTR 85LE, CLUTCH PLATE (STEEL)		0.090	52	Ø102.04	Ø135.40	100	
20121	20121	BTR 85LE, CLUTCH PLATE (STEEL), BTR M72-97LE C- 1/2/3	0585-166021	0.098	52	Ø102.04	Ø135.40	100	
20125	20125	BTR 85LE, WASHER PLATE (STEEL)	0585-156125					100	
20130	20130	BTR 85LE, CLUTCH PLATE (STEEL)	0585-166030	0.067	56	Ø91.10	Ø121.44	100	
20135	20135	BTR 85LE, CLUTCH PLATE (STEEL)	0585-166035	0.055	56	Ø91.10	Ø121.44	100	
20136	20136	BTR 85LE, CLUTCH PLATE (STEEL), BTR M72-97LE C-4	0585-166036	0.071	56	Ø91.10	Ø121.44	100	
20137	20137	BTR 85LE, CLUTCH PLATE (STEEL), BTR M72-97LE C-4	0585-166037	0.087	56	Ø91.10	Ø121.44	100	
906115		APII TRANSMISSION, USE IN THE AUSTIN & MORRIS BRITISH LEYLAND VEHICLES		0.059	44	Ø82.60	Ø121.10	100	
AC101				0.071	8	Ø105.00	Ø132.00	100	
AC101A				0.020	8	Ø105.00	Ø132.00	100	
AC101B				0.031	8	Ø105.00	Ø132.00	100	

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
AMERICAN CAR						
101102	101102	4F27E/FN4A-EL FORWARD, 3RD & 4TH (DIRECT) .063" (32T)	99-UP	XS4Z-7B164-CB		
101104	101104	4F27E/FN4A-EL REVERSE .063" (32T)	99-UP	XS4Z-7B164-AB		
101106	101106	4F27E/FN4A-EL LOW/REVERSE .063" (42T)	99-UP	XS4Z-7B164-BB		
106101A		TF-81SC/AF21, 1-2-3-4 CLUTCH, .065" (54T), OD 6 3/16"	05-UP			
106103A		TF-81SC/AF21, 3-5 REVERSE CLUTCH, .065" (54T), OD 6 1/2"	05-UP			
106105A		TF-81SC/AF21, 4-5-6 CLUTCH, .065" (55T), OD 6 5/16"	05-UP			
106107A		TF-81SC/AF21, LOW/REVERSE CLUTCH, .063" (60T), OD 7 1/4"	05-UP			
12750A	12750A	A500 (40RH, 42RH, 42RE), A904 (TF 6, 30RH), 31RH (A998)/32RH (A999) FRONT (DIRECT) .086" (45T)	60-UP	4617362 4239805		
12760B	12760B	A500 (40RH, 42RH, 42RE), A904 (TF 6, 30RH), 31RH (A998) / 32RH (A999) REAR (FORWARD) .060" (45T)	60-UP	4531068 3780285		
12842	12842	A500 (40RH, 42RH, 42RE), OVERDRIVE DIRECT .063" SMOOTH (54T)	88-UP	4461042		
12845	12845	A500 (40RH, 42RH, 42RE), OVERDRIVE BRAKE .087" SMOOTH (54T)	88-UP	4461162		
172100A		CHRYSLER AS68RC RWD 6 SPEED 2-6, B1 CLUTCH 0.082", 66T, 7-7/8"OD	2005-UP	68019839AA		
172104A		CHRYSLER AS68RC 1-2-3-4, K1 CLUTCH 0.081", 48T, 5.820"OD	2005-UP	68019774AA		
172106A		CHRYSLER AS68RC 3-5 REVERSE, K3 CLUTCH 0.084", 78T, 8-1/16"OD (CHRYSLER TAKES 5) (ISUZU/MIT. TAKES 4)	2007-UP	68019745AA		
172108A		CHRYSLER AS68RC 4-5-6, K2 CLUTCH 0.084", 60T, 8-1/16"OD	2007-UP	68019793AA		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
AMERICAN CAR						
172108B		ISUZU/MITSUBISHI AS68RC 4-5-6 K2 CLUTCH 0.084", 32T, 8-1/16"OD	2005-UP			
172114A		CHRYSLER/ISUZU/MITSUBISHI AS68RC LOW/REVERSE (B2) CLUTCH 0.070", 70T, 7-15/16"OD	2006-UP	68019853AA		
22642A	22642A	A518 (46RH, 46RE), A618 (47RH, 47RE) REAR (FORWARD) .061" SMOOTH (62T)	90-UP	2801992AB		
32761	32761	A404 (30TH), A413, A470, A670 (31TH) FRONT (DIRECT) .083" WAFFLE (46T)	78-UP	5205675 4471439		
32762	32762	A404 (30TH), A413, A470, A670 (31TH) REAR (FORWARD) .071" PARALLEL (49T)	82-UP	5224084 4531024		
33100	33100	GM 4T40-E, 4T45-E FORWARD .070" (30T)	95-up	8684444		
33102	33102	GM 4T40-E, 4T45-E DIRECT .070" (36T)	95-UP	8684415		
33104	33104	GM 4T40-E, 4T45-E SECOND .070"	95-UP	8684322		
33106	33106	GM 4T40-E, 4T45-E REVERSE .070" (48T)	95-UP	8684266		
33108	33108	GM 4T40-E, 4T45-E COAST .070" (20T)	95-UP	8684282		
34304	34304	GM TH400 (3L80), 375, 3L80-HD (475), 425 DIRECT (3RD, HIGH), FORWARD .080" SMOOTH (42T)	64-UP	8655619 8645981		
34404	34404	GM TH400 (3L80), 375, 3L80-HD (475), 425 INTERMEDIATE .080" SMOOTH (WAVED) (47T)	64-UP	8655620 8623151		
35103	35103	GM TH350, TH350C, TH250 FORWARD, DIRECT (3rd, HIGH) .098" PARALLEL (20T)	69-86	6261278 6261130		
35109	35109	TH250 LOW/REVERSE .087" SMOOTH (25T)	80-84	8640710 8654598		
36101	36101	E40D, 4R100 COAST (OVERRUN) .078" PARALLEL (60T)	89-UP	E4TZ-7B164-AA		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
AMERICAN CAR						
36103	36103	E40D, 4R100 OVERDRIVE, FOR CAST DRUM WAFFLE (64T)	89-UP	E91F-7B164-EA F81Z-7B164-CA		
36105	36105	E40D, 4R100 INTERMEDIATE .078" WAFFLE (50T)	89-97	E9TZ-7B164-B		
36304	36304	E40D, 4R100 DIRECT .077" GROOVED TAN	96-UP	F6TZ-7B164-B		
36304D	36304D	E40D, 4R100 DIRECT .077" SMOOTH (63T)	89-95	E9TZ-7B164-D		
36404C	36404C	E40D, 4R100 FORWARD .075" HARDENED TEETH (90T)	89-UP	F2TZ-7B164-A		
36504A	36504A	E40D, 4R100 REVERSE/LOW .075" WAFFLE (72T)	89-97	D6AZ-7B164-A		
46100	46100	BTR 85LE 3RD & 4TH .079" (46T)	89-UP	0585-666-013		
46101	46101	BTR 85LE OVERRUN .081" (41T)	89-UP	0585-666-010		
54106	54106	GM TH180/TH180C (3L30), 4L30-E OVERDRIVE 4L30-E (4TH) .088" SMOOTH	90-up	96014459		
54108	54108	GM TH180/TH180C (3L30), 4L30-E OVERRUN 4L30-E, .088" PARALLEL	90-up	96014459		
54204	54204	GM TH180/TH180C (3L30), 4L30-E SECOND .098" SMOOTH	69-UP	96013664 5258025		
54206	54206	GM TH180/TH180C (3L30), 4L30-E THIRD .098" SMOOTH	69-97	90064281		
54206A	54206A	GM TH180/TH180C (3L30), 4L30-E THIRD .063" GROOVED	98-UP	96017371		
54222	54222	GM TH180/TH180C (3L30), 4L30-E REVERSE .098" SMOOTH	69-UP	96013665 90064284		
56202C	56202C	FORD 4R44E, 4R55E, 5R44E, 5R55E 6 BOLT ELECTRONIC	1995-UP	F5TZ-7B472A		
56304	56304	4R44R, 4R55E, 5R55E, 5R55N, A4LD, C3 HIGH/REVERSE (DIRECT)	74-89	E3ZZ-7B164-B		
56304A	56304A	4R44R, 4R55E, 5R55E, 5R55N, A4LD OVERDRIVE .078" WAFFLE (32T)	85-89	E5TZ-7B164-A		
56304B	56304B	4R44R, 4R55E, 5R55E, 5R55N, A4LD HIGH/REVERSE (DIRECT) .069" WAFFLE (48T)	90-96	F0TZ-7B164-B		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
AMERICAN CAR						
56304C	56304C	4R44R, 4R55E, 5R55E, 5R55N, A4LD OVERDRIVE, WIDE TOOTH .069" WAFFLE (32T)	90-96	F0TZ-7B164-C		
56404	56404	4R44R, 4R55E, 5R55E, 5R55N, A4LD, C3 FORWARD .075" WAFFLE (72T)	74-89	E3ZZ-7B164-A D4ZZ-7B164-A		
56404B	56404B	4R44R, 4R55E, 5R55E, 5R55N, A4LD FORWARD .069" WAFFLE (72T)	90-96	F0TZ-7B164-A		
65103	65103	GM TH325, TH325-4L DIRECT, FORWARD .078" SMOOTH	79-85	8657168 8628470 8648350 8630214		
71101	71101	G4A-EL/HL (4EAT-G), GF4A-EL FORWARD .063" PARALLE (48T)	86-UP	FU08-19-580A		
71102A	71102A	G4A-EL/HL (4EAT-G), GF4A-EL COAST, SQUARE TOOTH .061" PARALLEL (44T)	87-UP	FU3K-19-590		
71103A	71103A	G4A-EL/HL (4EAT-G), GF4A-EL REVERSE, SQUARE TOOTH .063" PARALLEL (58T)	87-UP	FU50-19-460		
71104	71104	G4A-EL/HL (4EAT-G), GF4A-EL OVERDRIVE (3/4) .063" PARALLEL (50T)	86-93	FU08-19-370A		
73100	73100	CD4E/LA4AEL FORWARD .065" WAFFLE (32T)	94-UP	F3RZ-7B164-B		
73102	73102	CD4E/LA4AEL DIRECT .065" WAFFLE (24T)	94-95	F3RZ-7B164-D		
73104	73104	CD4E/LA4AEL LOW/REVERSE .065" WAFFLE (32T)	94-UP	F3RZ-7B164-C		
73106	73106	CD4E/LA4AEL REVERSE INPUT .065" WAFFLE (36T)	94-UP	F3RZ-7B164-A		
73108	73108	CD4E/LA4AEL COAST .065" WAFFLE (24T)	94-UP	F3RZ-7B164-AA		
74101	74101	4EAT-F, F4A-EL FORWARD .062" PARALLEL (42T)	90-UP	F1CZ-7B164-A		
74102	74102	4EAT-F, F4A-EL COAST (3RD) .062" PARALLEL (16T)	90-UP	F1CZ-7B164-B		
74103	74103	4EAT-F, F4A-EL REVERSE .062" PARALLEL (45T)	90-UP	F1CZ-7B164-C		
74104	74104	4EAT-F, F4A-EL OVERDRIVE (3/4) .062" PARALLEL (22T)	90-UP	F1CZ-7B164-D		
74105	74105	4EAT-F, F4A-EL LOW .062" PARALLEL (48T)	90-UP	F1CZ-7B164-E		
75102	75102	TH 125, 125C (3T40) LOW/REVERSE .080" PARALLEL	80-84	86520298643526		
75102A		.083"				

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
AMERICAN CAR						
75107	75107	GM TH125, 125C (3T40) DIRECT .069" SMOOTH (32T)	85-UP	8660168 8643741		
75109	75109	GM TH125, 125C (3T40) LOW/REVERSE .090" (40T)	85-UP	8666667 8652028		
76304	76304	AOD (FIOD)/AODE, 4R70W (AODE-W) DIRECT .075" PARALLEL (42T)	80-UP	F1SZ-7B164-A		
76404	76404	AOD (FIOD)/AODE, 4R70W (AODE-W) FORWARD, REVERSE .061" PARALLEL (43T)	80-UP	E0AZ-7B164-A		
76604	76604	AODE, 4R70W INTERMEDIATE (3PACK TYPE) AODE .080" SMOOTH	80-95	E0AZ-7B164-D		
76604A	76604A	AODE, 4R70W INTERMEDIATE .066" (60T)	92-UP	F3LY-7B164-A		
77101A	77101A	GM TH700-R4 (4L60), 4L60-E REVERSE INPUT .078" PARALLEL	L87-UP	8673605		
77102	77102	GM TH700-R4 (4L60), 4L60-E OVERRUN .078" PARALLEL	82-UP	8642155		
77103	77103	GM TH700-R4 (4L60), 4L60-E FORWARD .078" 2 GROOVES (THICK) (41T)	82-84	8647350		
77103A	77103A	GM TH700-R4 (4L60), 4L60-E FORWARD .070" 2 GROOVES (THIN) (41T)	85-97	6854324		
77104	77104	GM TH700-R4 (4L60), 4L60-E 3RD & 4TH .080" SMOOTH (20T)	82-UP	8654145		
84102	84102	GM TH440-T4 (4T60), 4T60-E SECOND .070" SMOOTH (38T)	83-93	8662912 8662005		
84102-1.96		GM TH440-T4 (4T60), 4T60-E SECOND .077" SMOOTH (38T)	83-93	8662912 8662005		
84102A	84102A	GM TH440-T4 (4T60), 4T60E SECOND COMMERCIAL SMOOTH (38T) 0.062"	83-93	8662912 8662005 8656629		
84107		GM TH440-T4 (4T60), 4T60E THICK 2.33~2.42mm (79.63mm X 111.96mm), 32T				
92134	92134	A604 (40TE, 41TE, 41AE-AWD), A606 (42LE) LOW/REVERSE .072" WAFFLE (28T)	89-UP	4567573		
92137	92137	A604 (40TE, 41TE, 41AE-AWD) OVERDRIVE .086" WAFFLE (31T)	89	4377137		
92138	92138	A604 (40TE, 41TE, 41AE-AWD), A606 (42LE) UNDERDRIVE, OVERDRIVE, REVERSE INPUT .071" WAFFLE (32T)	89-UP	4505629 4531678 4377138		




LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
AMERICAN CAR						
92147	92147	A604 (40TE, 41TE, 41AE-AWD), A606 (42LE) 2ND 4TH .086" PARALLEL (28T)	89-UP	4567212		
96103A	96103A	AXOD/AXODE (AX4S), AX4N FORWARD .065" LARGE I.D. (57T)	10/91-UP	F8DZ-7B164-AC		
96105	96105	AXOD/AXODE (AX4S), AX4N DIRECT & INTERMEDIATE .065" (63T)	86-94	F6DZ-7B164-A		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
1220A2		Toyota Vehicles OD: 184.95mm 0.081" (66T) 				
1220B2		Toyota Vehicles OD: 185.00mm 0.067" (66T) 				
1220C2		Toyota Vehicles OD: 185.85mm 0.080" (28T) 				
1220D2		Toyota Vehicles OD: 185.75mm 0.080" (72T) 				
1220E2		Toyota Vehicles OD: 133.50mm 0.080" (48T) 				
125101		NISSAN RE0F10A/RE0F09A CVT JATCO JF011E 2.0L, 2.4L, 2.5L REVERSE, 40T	03-UP	31536-1XE00		
125102		NISSAN RE0F10A/RE0F09A CVT JATCO JF011E 2.0L, 2.4L, 2.5L FORWARD, 36T	03-UP	31532-1XD00		
172108B		ISUZU/MITSUBISHI AS68RC 4-5-6 K2 CLUTCH 0.084", 32T, 8-1/16"OD	2005-UP			
172114A		CHRYSLER/ISUZU/MITSUBISHI AS68RC LOW/REVERSE (B2) CLUTCH 0.070", 70T, 7-15/16"OD	2006-UP	68019853AA		
41001	41001	75F7 SUZUKI 1.2 WAGON R+ .067" (36T)	99-UP			
41002	41002	75F7 SUZUKI 1.2 WAGON R+ .065" (36T)	99-UP			
41003	41003	75F7 SUZUKI 1.2 WAGON R+ .067" (36T)	99-UP			

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
41004	41004	75F7 SUZUKI 1.2 WAGON R+ .066" (40T)	99-UP			
41100	41100	F4A33-1, W4A33-1 DIRECT (FRONT) .067" (38T)	91-UP	MD735828		
41102	41102	F4A33-1, W4A33-1 FORWARD (REAR) .067" (42T)	91-UP	MD731582		
41104	41104	F4A33-1, W4A33-1 LOW/REVERSE .067" (54T)	91-UP	MD731586		
41106	103104	MITSUBISHI F4A41, F4A42 REVERSE .067" GROOVED 30T 5.87"OD	96-UP			
41107	103102	MITSUBISHI F4A41, F4A42 2ND BRAKE .067" GROOVED (30T) 6.18"OD	96-UP			
41107A	41107A	MITSUBISHI F4A51 2ND BRAKE .067" (30T) 7.03"OD	97-UP			
41108	103106	MITSUBISHI F4A41, F4A42 LOW/REVERSE .067" GROOVED 30T 6.18"OD	96-UP			
41109	103100	MITSUBISHI F4A41, F4A42 UNDERDRIVE .067" GROOVED 30T 5.36"OD	96-UP			
41109A	41109A	MITSUBISHI F4A51 OVERDRIVE .067" (30T) 5.827"OD	97-UP			
42100	42100	KM175, KM176 & KM177 SERIES F4A21-2 (176-5), F4A22-2 (175-5) F4A23-2 (177-8) KM170, KM171 & KM172 SERIES F3A21-2 (171-5), F3A22-2 (172-5) FORWARD (REAR), DIRECT (FRONT) A4AF1 DIRECT (FRONT) .075" PARALLEL (38T)	79-UP	MD713655		
42100A	42100A	KM175, KM176 & KM177 SERIES F4A21-2 (176-5), F4A22-2 (175-5) F4A23-2 (177-8) KM170, KM171 & KM172 SERIES F3A21-2 (171-5), F3A22-2 (172-5) FORWARD (REAR), .075" PARALLEL (10T)	82-88	MD714345		
42100B	42100B	KM175, KM176 & KM177 SERIES F4A21-2 (176-5), F4A22-2 (175-5) F4A23-2 (177-8) KM170, KM171 & KM172 SERIES F3A21-2 (171-5), F3A22-2 (172-5) W4A32-1, A4AF1 FORWARD (REAR), DIRECT (FRONT) .075" PARALLEL (38T)	89-UP	MD737892		
42103	42103	KM175, KM176 & KM177 SERIES F4A21-2 (176-5), F4A22-2 (175-5) F4A23-2 (177-8) KM170, KM171 & KM172 SERIES F3A21-2 (171-5), F3A22-2 (172-5) W4A32-1, A4AF1 FORWARD (REAR), DIRECT (FRONT) .075" PARALLEL (38T)	79-88	MD715367		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
42107	42107	KM175, KM176 & KM177 SERIES F4A21-2 (176-5), F4A22-2 (175-5) F4A23-2 (177-8) KM170, KM171 & KM172 SERIES F3A21-2 (171-5), F3A22-2 (172-5) W4A32-1, A4AF1 LOW/ REVERSE .072" WAFFLE (51T)	89-UP	MD719833		
42111	42111	KM175, KM176 & KM177 SERIES F4A21-2 (176-5), F4A22-2 (175-5) F4A23-2 (177-8) KM170, KM171 & KM172 SERIES F3A21-2 (171-5), F3A22-2 (172-5) F4A33-1 (W4A32-1, W4A33-1 AWD), A4AF1, A4AF2, A4BF1 OVERDRIVE .075" PARALLEL (40T)	85-UP	MD739092		
59100A	59100A	AW60-40 COAST .067" (44T)	95-UP	90444685		
59100B	59100B	AW60-40 FORWARD, 3-4 .067" (51T)	95-UP	90444669		
59111	59111	AW60-40 REVERSE .071" (44T)	95-UP	90444546		
59102	59102	AW50-40 2ND BRAKE AW50-40, .067" (33T)	89-UP	90348796		
59104	59104	AW50-40/42/42LE, AW60-40 FORWARD AW50-40, .067" (46T)	89-UP	90542936		
63100	63100	NISSAN - RE4F04A FORD-4F20E HIGH .063" PARALLEL (21T)	92-5/94	31532-80X05		
63100A	63100A	NISSAN - RE4F04A FORD-4F20E HIGH .063" PARALLEL (24T) JF506E (ALL) HIGH CLUTCH (.063") (24T) (4.400" OD) 2002-UP	6/94-UP	31532-80X10		
63102	63102	NISSAN - RE4F04A FORD-4F20E LOW/REVERSE .071" PARALLEL (32T) JF506E (ALL) LOW/REVERSE CLUTCH (.071") (32T) (6.500" OD) 2002-UP	92-UP	31532-80X06		
64102	64102	NISSAN - RE4F04A FORD-4F20E REVERSE .063" PARALLEL (28T)	92-UP	31662-80X02		
64106	64106	NISSAN - RE4F04A FORD-4F20E FORWARD .063" PARALLEL (32T)	92-UP	31532-80X02		
64108	64108	NISSAN - RE4F04A FORD-4F20E OVERRUN .063" PARALLEL (20T)	92-UP	31532-80X07		
66304	66304	3N71B, L3N71B, E/L4N71B, N4A-EL FORWARD, OVERDRIVE, DIRECT F3A (MX1/KF100) FORWARD, DIRECT .063" WAFFLE (44T)	71-UP	31662-X0800 0338-19-500A		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
67100	67100	A40 SERIES OVERRUN BRAKE #1, INTERMEDIATE BRAKE #2, FORWARD (FRONT), DIRECT (REAR), OVERDRIVE DIRECT, OVERDRIVE A55, A55F FRONT, REAR, BRAKE .091" SMOOTH (16T)	73-UP	35677-30120 35677-33030		
67103	67103	A40 SERIES LOW/REVERSE BRAKE #3 A55, A55F BRAKE .091" SMOOTH (16T)	73-UP	35633-30060 35677-33030		
67123	67123	A40 SERIES INTERMEDIATE BRAKE#2 (B2) .079" (24T) SMOOTH	85-UP	35677-22060		
69101	69101	RE4R01A, RL4R01A, R4A-EL FORWARD .079" (36T)	88-UP	31532-41X12		
69103	69103	RE4R01A, RL4R01A, R4A-EL OVERRUN .079" (18T)	88-UP	31532-41X13		
69104	69104	RE4R01A, RL4R01A, R4A-EL LOW/REVERSE (BRAKE) .079" (30T)	88-UP	31532-41X14		
69105	69105	RE4R01A, RL4R01A, R4A-EL HIGH .063" (30T)	88-UP	31532-41X11		
69109	69109	RE4R01A, RL4R01A, R4A-EL TRANSFER CASE, QX-4 ONLY .077" 40T	97-UP			
69200		RE5R05A K-2 HIGH-LOW REVERSE 30T-OD: 4.913"	02-ON	31532-90X02		
69202		RE5R05A B-2 LOW COAST 30T-OD: 5.216"	02-ON	31662-90X02		
69204		RE5R05A B-3 FORWARD 39T-OD: 5.783"	02-ON	31662-90X01		
69206		RE5R05A DIRECT 24T-OD: 6.248"	02-ON	31532-90X01		
69208		RE5R05A K-1 INPUT 60T-OD: 6.346"	02-ON	31532-90X00		
69210		RE5R05A B-1 REVERSE BRAKE 50T-OD: 6.594"	02-ON	31662-90X00		
83102	83102	RL3F01A, RN3F01A LOW/REVERSE .079" PARALLEL (8T)	81-UP	31662-01X01		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
83103	83103	RL3F01A, RN3F01A HIGH/REVERSE, FORWARD .071" PARALLEL-NON TURBO(8T)	81-UP	31532-01X00		
88101	88101	AK, AS, A4, CA, G4, L4, L5, F4, M4VA, ML4A, MY8A, PL5X LOW HOLD SECONDARYSHAFT .079" PARALLEL (38T)	88-UP	22544-PS5-003		
88103	88103	AK, AS, A4, CA, G4, L4, L5, F4, M4VA, ML4A, MY8A, PL5X 1ST, 2ND, 3RD & 4TH 105MM/4.20" OD .075" PARALLEL (38T)	83	22544-PN0-000		
88104		HONDA M4VA CVT, CIVIC HX 2.03 / 120.80 / 145.00 (mm) 0.080 / 4.756 / 5.709 (inch)	96-98	22545-P4V-013		
88105	88105	AK, AS, A4, CA, G4, L4, L5, F4, M4VA, ML4A, MY8A, PL5X, A24A, M24A, S24A, A4RA, BDRA, B4RA, M4RA 1ST, 2ND, 3RD & 4TH 110MM/4.30"OD .075" PARALLEL (38T)	84-UP	22544-PC9-020		
88107	88107	AK, AS, A4, CA, G4, L4, L5, F4, M4VA, ML4A, MY8A, PL5X 1ST, 2ND, 3RD & 4TH 116MM/4.55" OD .075" PARALLEL (41T)	86-UP	22544-PF4-010		
89100	89100	A130L, A131L(MX1) FIRST/REVERSE (BRAKE #3), 2ND BRAKE A140E/L, A140L, A141E, OVERDRIVE BRAKE, LOW/REVERSE INTERMEDIATE (SECOND BRAKE) A240L/E, A241H/E, A242L, A243L, A244E 2ND BRAKE, 1ST & REVERSE MX17 (17M), A210 FIRST/REVERSE .067", OD 5.6", SMOOTH (33T)	84-UP	35677-32040		
89100-2.4		A40 SERIES OVERDRIVE DIRECT CLUTCH 0.094", OD 5.6", 33T	82-UP			
89101	89101	A140E/L, A140L, A141E INTERMEDIATE (SECOND BRAKE) A240L/E, A241H/E, A242L, A243L, A244E, A245E, A246E, A247E 2ND BRAKE A540E, A540H, A541E 2ND BRAKE (INTERMEDIATE) .075" PARALLEL (33T)	86-UP	35677-32050		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
89103	89103	A130L, A131L(MX1), A132L, A241H/E, A242L, A243L, A244E, A245E, A246E, A247E FORWARD, DIRECT A140E/L, A140L, A141E, FORWARD, DIRECT, OVERDRIVE MX17 (17M), A210, A240L/E, A540E, A540H, A541E FORWARD, DIRECT .067" SMOOTH (40T)	84-UP	35633-32050		
89104	89104	A140E/L, A140L, A141E OVERDRIVE BRAKE .075" PARALLEL (24T)	86-UP	35677-20030		
89107	89107	A240L/E, A241H/E, A242L, A243L, A244E, A245E, A246E, A247E UNDERDRIVE #1 .075" SMOOTH (34T)	85-UP	34261-12010		
89109	89109	A240 SERIES UNDERDRIVE # 2 (BRAKE) SPEC: 0.067" / 1.70mm (26T)	84-ON	34262-12010		
89113	89113	A140E, A140L, A141E DIRECT .067" SMOOTH (40T) OVERDRIVE .075" (40T) A240L/E, A241H/E, A242L, A243L, A244E, A245E, A246E, A247E DIRCET .075" PARALLEL (40T)	8/86-UP 86-UP	35677-30150 35633-32032		
89115	89115	A132L 1ST/REVERSE A140E/L, A140L, A141E LOW/REVERSE A540E, A540H, A541E LOW/REVERSE (1ST BRAKE #3) .059" SMOOTH (33T)	93-UP	35677-32060		
91102	91102	F3A(MX-1/KF100) LOW/REVERSE .060" WAFFLE (62T)	81-UP	FT01-19-610		
93100	93100	RL4F02A, RE4F02A,/V REVERSE INPUT .079" (8T)	85-94	31532-21X01		
93100A	93100A	RE4R01A, RL4R01A, R4A-EL REVERSE RLAFO2A, RE4F02A REVERSE INPUT .079" (34T)	88-92	31532-41X10 31532-21X07		
93104C	93104C	RE4R01A, RL4R01A, R4A-EL HIGH RLAFO2A, RE4F02A HIGH (WIDE SPLINE) .063" (30T)	88-UP	31532-41X11 31532-21X05		
93109	93109	RL4F02A, RE4F02A,/V LOW .079" (30T)	85-94	31592-21X09		
93115	93115	RL4F02A, RE4F02A,/V LOW/REVERSE BRAKE .079" (12T)	85-94	31662-21X01		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
97101	97101	A340 SERIES (AW4,30-80LE,AW30-40,30-43LE) OVERDRIVE BRAKE .081" SMOOTH (24T)	85-UP	34633-30010		
97102	97103	A340 SERIES, A540E, A540H, A541E (AW4,30-80LE,AW30-40,30-43LE) DIRECT .083" SMOOTH (40T) OD: 5.178"	85-UP	35677-40010		
97103	97102	A340 SERIES (AW4,30-80LE,AW30-40,30-43LE) FORWARD .083" SMOOTH (40T) OD: 4.973"	85-UP	35677-30090		
97103A	97103A	A340 SERIES (AW4,30-80LE,AW30-40,30-43LE) 2ND (BRAKE) .081" SMOOTH (32T)	85-UP	35677-50020		
97104	97104	A340 SERIES (AW4,30-80LE,AW30-40,30-43LE) LOW/REVERSE .067" SMOOTH (32T)	85-UP	35677-30110		
97108	97108	A340 SERIES (AW4,30-80LE,AW30-40,30-43LE) OVERDRIVE DIRECT .083" SMOOTH (32T)	85-UP	35633-30040		
98101	98101	MR9A NSX 2ND, LOW HOLD, 3RD A6VA, AOYA, APXA, BOYA, MP1A, MPJA, MPWA, MPXA, PX4B 1ST, 2ND, 3RD, 4TH & LOW/HOLD MPZA 2ND, 3RD, 4TH BAXA, B6VA, MAXA, MDWA, M6HA 3RD, 4TH .076" (44T)	91-98	22545-PX4-701		
98101E		HONDA ACCORD, ACURA 4 CYL M6HA, BAXA 0.076" X 116MM NARROW LINING 44T	97-UP	22544-P6H-003		
98104		HONDA FIT 2.07 / 120.80 / 145.00 (mm) 0.081 / 4.756 / 5.709 (inch)		22545-PWR-013		
98106	98106	ACURA M5HA (3.2TL), M5DA (3.5RL), MPYA (LEGEND) 2ND .079"x125M (45T)	91-UP	22344-PY4-013		
98106E		HONDA ACCORD, ACURA 4 CYL M6HA, BAXA 0.076" X 116MM FULL LINING 44T	97-UP	22545-P6H-003		
99100	99100	RL4F03A, RE4F03A REVERSE .077" PARALLEL (18T)	91-UP	31532-31X00		
99102	99102	RL4F03A, RE4F03A HIGH 2.0L .063" WUDE SPLINE (20T)	91-UP	31532-31X08		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
JAPANESE CAR						
99102A	99102A	RL4F03A, RE4F03A HIGH 1.6L .079" NARROW SPLINE (20T)	91-UP	31532-31X01		
99104	99104	RL4F03A, RE4F03A FORWARD .071" PARALLEL (30T)	91-UP	31532-31X02		
99106	99106	RL4F03A, RE4F03A OVERRUN .063" PARALLEL (18T)	91-UP	31532-31X03		
99108	99108	RL4F03A, RE4F03A LOW/REVERSE .077" PARALLEL (30T)	91-UP	31532-31X04		
B-1-MC21S		HYUNDAI JF402E LOW 0.062" 38T	03-ON	45417-02701		
B-3-MC21S		HYUNDAI JF402E REVERSE 0.062" 36T	03-ON	45486-02700		
B-5-MC21S		HYUNDAI JF402E HIGH 0.062" 24T	03-ON	45445-02700		
B-7-MC21S		HYUNDAI JF402E LOW/REVERSE 0.062" 36T	03-ON	45462-02700		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR(S)	OEM#	CTN QTY	PRICE
EUROPEAN CAR						
001112		VW JATCO JF404E 3RD & 4TH CLUTCH-HIGH 0.062" 36T	00-UP	001-398-921K		
001113		VW JATCO JF404E 1ST & 3RD CLUTCH-LOW 0.063" 20T	00-UP	001-398-205AK		
001114		VW JATCO JF404E REVERSE, 0.063" 24T	00-UP	001-398-105K		
112101		DPO REVERSE-1 SIDED INTERNAL SPLINE SPEC:0.063/1.6 HEG-6T OD:6.720"	99-ON	7701-101-411		
112102		DPO BRAKE-1 SIDED EXTERNAL SPLINE SPEC:0.063/1.6 HEG-6T ID:5.750"	99-ON	7701-101-410		
112103		DPO REVERSE-1 SIDED INTERNAL SPLINE SPEC:0.063/1.6 HEG-8T OD:6.270"	99-ON	7701-101-413		
112104		DPO REVERSE-1 SIDED EXTERNAL SPLINE SPEC:0.063/1.6 HEG-12T ID:5.220"	99-ON	7700-408-236		
112105		DPO 4TH CLUTCH-1 SIDED INTERNAL SPLINE SPEC:0.063/1.6 HEG-20T OD:4.650"	99-ON	7700-102-010		
112106		DPO 4TH CLUTCH-1 SIDED EXTERNAL SPLINE SPEC:0.063/1.6 HEG-8T ID:3.253"	99-ON	7700-101-427		
119102	119102	VW-095, 096(01M), 098(01P) AUDI-097(01N) BRAKE (FRONT) (B2) .063" PARALLEL (32T)	90-UP	095-323-465D		
119103	119103	VW-095, 096(01M), 098(01P) AUDI-097(01N) REVERSE BRAKE (REAR) (B1) .063" SMOOTH (50T)	90-97	095-323-231A		
119106	119106	VW-095, 096(01M), 098(01P) AUDI-097(01N) FORWARD (1ST-3RD SHIFT K1) REVERSE (K2) .063" PARALLEL (24T)	90-UP			
119108	119108	VW-095, 096(01M), 098(01P) AUDI-097(01N) 3-4 CLUTCH K3 SMALL O.D 3.8"	90-94			

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR(S)	OEM#	CTN QTY	PRICE
EUROPEAN CAR						
119108A	119108A	VW-095, 096(01M), 098(01P) AUDI-097(01N) 3-4 CLUTCH K3 LARGE O.D 4.05"	95-UP			
52101	52101	RENAULT/EAGLE MB1, MJ1, MJ3 REAR F2 .080" SMOOTH (3T)	83-up	7701-462-297		
52105	52105	RENAULT/EAGLE MB1, MJ1, MJ3 FRONT .080" SMOOTH (3T)	83-up	7701-462-298		
52108	52108	RENAULT/EAGLE MB1, MJ1, MJ3 E2-OUTER .080" PARALLEL (3T)	83-up	7701-596-732		
52111	52111	RENAULT/EAGLE MB1, MJ1, MJ3 E1-INNER.080" PARALLEL (21T)	83-up			
59100	59100	AW50-40 COAST, DIRECT, UNDERDRIVE, .067" (34T)	89-UP	90542422		
59108	59108	AW50-40LE/AW50-42LE LOW/REVERSE CLUTCH, .067" (33T) (6.302" OD)	89-98	90348808		
68105	68105	722.3(W4A040), 722.5(W5A030) FRONT(3RD), K1 PACK .083" PARALLEL(24T)	81-UP	126-272-0625		
68106	68106	722.3(W4A040), 722.5(W5A030) 4TH GEAR(REAR) K2 PACK .085" PARALLEL(24T)	81-UP	126-272-0725		
68107	68107	722.3(W4A040), 722.5(W5A030) REVERSE(MIDDLE) B3 PACK .081" PARALLEL(36T)	81-UP	126-272-0925		
68108	68108	722.4(W4A020 190 & C") 4TH GEAR(REAR) K2 PACK .083" (36T)	81-UP	123-272-0125		
68109	68109	722.4(W4A020 190 & C") FRONT(3RD), K1 PACK .083" (40T)	81-UP	123-272-0225		
68110	68110	722.4(W4A020 190 & C") REVERSE(MIDDLE) B3 PACK .081" (30T)	81-UP	201-272-0025		
68132	68132	722.5(W5A030) KS OVERRUN .083" PARALLEL(22T)	91-UP	124-272-0125		
68134	68134	722.5(W5A030) BS OVERDRIVE 5TH .085" PARALLEL(28T)	91-UP	124-272-0025		
68920J	68920J	MB 722.6 PUMP 69 HOLES TOTAL	96-UP	140-277-4214 52108147AA		
79103	79103	010,089,090 DIRECT/REVARSE 010,089,090(4.75"O.D.) .090" WAFFLE, 49T	75-UP	010-323-141C		
79103A	79103A	087 DIRECT/REVARSE 087(5"O.D.) .090" PARALLEL, 49T	183-UP	087-323-141A		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR(S)	OEM#	CTN QTY	PRICE
EUROPEAN CAR						
79105	79105	010,087,089,090 FORWARD .061" PARALLEL 49T	75-UP	010-323-241C		
79106	79106	010,087,089,090 LOW/REVERSE (1ST & INTERMEDIATE) .061" SMOOTH 30T	75-UP	010-323-231		
82107	82107	ZF3HP22, ZF4HP22, ZF4HP24 FORWARD (A PACK) 3HP, 4HP22, .061" SMOOTH 34T	76-UP	24321-205-918		
82108	82108	ZF3HP22, ZF4HP22, ZF4HP24 DIRECT (HIGH/REVERSE B PACK) .059" WAFFLE 24T	76-UP	24-23-1-215-770		
82109	82109	ZF3HP22, ZF4HP22, ZF4HP24 REVERSE (D PACK) 3HP, 4HP22, .063" WAFFLE 48T	76-UP	24-23-1-205-955		
82109A	82109A	4HP24 .063" PARALLEL 58T	87-UP	1043-217-015		
82110	82110	ZF3HP22, ZF4HP22, ZF4HP24 INPUT (E PACK) 4HP22/24, .061" 40T	84-UP	24-23-1-215-441		
85101	85101 85115A	ZF4HP14 FORWARD (A PACK 1ST & 3RD) 4HP14 .061" 30T ZF5HP19, FL, FLA OVERRUN 5TH (G PACK), OVERDRIVE 5TH (F PACK)	86-UP	1056-277-036 1036-202-018		
85102A	85102A	ZF4HP14 REVERSE (B PACK) 4HP14 .077" 30T	86-UP	1036-202-028		
85104	85104	ZF4HP14 INPUT 3/4 (E PACK) 4HP14 .061" 36T	86-UP	1036-230-034		
85112	85112	ZF4HP14 REVERSE (B PACK), EXCEPT ALFA ROMEO 4HP18 .079" 30T	86-UP	1050-202-004		
85113	85113	ZF4HP18 INPUT 3/4 (E PACK) 4HP18 .063" 36T ZF5HP19, FL, FLA 3/4 CLUTCH (E PACK)	89-UP	1050-230-033		
85115	85115	ZF4HP18 FORWARD (A PACK 1ST & 3RD) 4HP18 .063" 30T ZF5HP19, FL, FLA FORWARD (A PACK), LOW/REVERSE (D PACK)	86-UP	1050-202-002 1050-217-002		
95100	95100	SATURN (TAAT) 1ST, 2ND, 3RD & 4TH (EXTERNAL SPLINE) 0.61" PARALLEL (1 SIDED)	91-UP	21002871 21002277		

LINESOON INDUSTRIAL CO., LTD.

AUTOMATIC TRANSMISSION FRICTION PLATE

LINESOON#	AP#	APPLICATION	YEAR (S)	OEM#	CTN QTY	PRICE
EUROPEAN CAR						
95714	95714	SATURN (TAAT) 1ST, 2ND, 3RD & 4TH 0.130" PARALLEL (1 SIDED)	91-UP	21002567 21002278		